



HYIP Manager Pro Script Gold Coders

Documentation

Update Script: May 31 2019

Contents

1. [Introduction](#)
2. [How it works](#)
3. [Installation](#)

Introduction

Hello there! Thanks for purchasing in Template Rex!

We hope you enjoy your copy of HYIP Manager Pro Script, which has all its functions and can install it freely in the number of hostings / domains that you want to start a project, you can contact me at hey@templatere.com! I promise I don't bite. :)

Remember that on our website you will find templates ready to be used and personalized with your Script with attractive designs that will attract more clients to your project.

Please note that all the Script files are included in the purchase, all the code is in your hands so you can easily customize it.

How it works

HYIP Manager Pro supports Bitcoin, Litecoin, Dogecoin, Ethereum, Bitcoin Cash, Dash, Bitcoin Gold, Paypal, Perfect Money, Skrill, Payza, Webmoney, Alertpay, Paypal, E-bullion, Pecunix and any other processings.


HYIP Manager Pro is a package for investment sites. This software helps you to create and manage your own HYIP with ease. Automatic withdrawal, mass payment and instant payment included. The combination of price, features, performance and security are the best on the current market.

Installation

Installing the HYIP Manager Pro script will be a simple process check the following steps below.

Upload the HYIP-Manager-Pro-UPDATED.zip the file to the server, either by FTP or file manager of your server.

1. Check that the script is in .ZIP before beginning the upload.



2. Upload the .ZIP using an FTP or file manager to the directory where the Gold Coders Manager Script is installed.

Maximum file size allowed for upload: ∞

☐ Overwrite existing files

Drop files here to start uploading

or

Select File



HYIP-Manager-Pro-UPDATED.zip

36%


✕

1.45 MB / 3.97 MB (36%) complete

3. It will have been uploaded to the root directory of the website as shown below.

Home Up One Level Back Forward Reload <input checked="" type="checkbox"/> Select All <input type="checkbox"/> Unselect All View Trash Empty Trash				
Name	Size	Last Modified	Type	Permissions
 well-known	4 KB	Today, 9:18 AM	httpd/unix-directory	0755
 HYIP-Manager-Pro-UPDATED.zip	3.97 MB	Today, 9:42 AM	package/x-generic	0644


4. Proceed to unzip your template in the root directory, this process will write some files to work the template correctly.




5. To see the files of your script in the root of your domain in the following way.

Home		↑ Up One Level	← Back	→ Forward	↻ Reload	☑ Select All	☐ Unselect All	🗑 View Trash	🗑 Empty Trash
Name	Size	Last Modified	Type	Permissions					
📁 .well-known	4 KB	Today, 9:18 AM	httpd/unix-directory	0755					
📁 fonts	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
📁 images	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
📁 inc	4 KB	Dec 7, 2018, 10:25 AM	httpd/unix-directory	0755					
📁 tmpl	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
📁 tmpl_c	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
📄 admin.php	1.57 MB	Dec 3, 2018, 12:59 PM	application/x-httpd-php	0644					
🖼 favicon.ico	1 byte	Dec 3, 2018, 11:14 PM	image/x-generic	0644					
📄 HYIP-Manager-Pro-UPDATED.zip	3.97 MB	Today, 9:42 AM	package/x-generic	0644					
📄 index.php	1.67 MB	Dec 3, 2018, 12:59 PM	application/x-httpd-php	0644					
📄 install.php	132.94 KB	Dec 3, 2018, 10:03 PM	application/x-httpd-php	0644					
📄 settings.php	5.05 KB	Dec 3, 2018, 11:14 PM	application/x-httpd-php	0644					
📄 style.css	2.23 KB	Dec 3, 2018, 11:14 PM	text/css	0644					


6. Remember to delete the file HYIP-Manager-Pro-UPDATED.zip after decompressing the content, then go to the CPanel of your hosting and configure the PHP version of your domain in version 5.6




Check:



7. Go to your domain and enter the address by adding /install.php to start the process of installing your script Example: your-domain.com/install.php




8. The script will request the information of your database (name of database, user database and password of your database) enter them, **you will be asked for your license key which is the name of your domain** and finally your email of administrator and administrator password that will be linked to your script.



The screenshot shows a web browser window with the address bar displaying "your-domain.com/install.php". The page has an orange header with a decorative image of a sailboat and a person. Below the header, the text "HYIP Manager. Install script." is displayed. The form contains three sections: "MySQL data" with fields for "Mysql host:" (localhost), "Mysql database name:" (yourdatabase), "Mysql username:" (yourusername), and "Mysql password:" (yourpassword); "License data" with fields for "Host:" (your-domain.com) and "License key:" (your-domain.com); and "Admin account data" with fields for "E-mail:" (hey@templatere.com) and "Password:" (*****). An "Install" button is located at the bottom right of the form. At the very bottom of the page, a small footer reads "All Rights Reserved. HYIP Manager".

9. This completes the process of installing your script correctly, you can see a confirmation screen where you have finished installing the script, remember to save the access credentials of your administrator user.




The screenshot shows the same web browser window, but the page content has changed to a confirmation screen. The header and footer remain the same. The main content area displays "Script successfully installed!" in bold. Below this, it says "Please delete install.php file for security reason." and provides the following information: "Path to script: <http://your-domain.com>", "Admin login: admin", and "Admin password: templatere123456". It also includes instructions: "Login to admin area, go to settings screen and specify your sitename, payment accounts and other information." The footer "All Rights Reserved. HYIP Manager" is still present at the bottom.


10. If you try to enter your domain after finishing the installation you will see a message telling you to delete the file install.php



11. Go to your FTP directory of your domain and proceed to delete the file shown below.



12. When trying to see your script by entering the URL of your domain after deleting the file "install.php" you can see the homepage of this where you can enter with your administrator credentials.



The screenshot shows the homepage of a HYIP Manager Pro script. The browser address bar displays "your-domain.com". The page features a navigation menu with links: Home, FAQ, Rules, Sign up, Login, and Support. A "Member login" section includes fields for Username and Password, a Login button, and a Password recovery link. Below this is a "Stats" section with links for Investors Stats, Paid Out, Investors Top 10, and Investors Last 10. An "Info" section displays site statistics: Started Jan 1, 2005, Running days 5231, Total accounts 0, Active accounts 0, Total deposited \$ 0.00, Total withdraw \$ 0.00, Visitors online 1, Members online 0, and Last update Apr 29, 2019. A "Dollar price per ounce" section shows a 24-hour Gold price chart with a value of 1278.20 and a change of -7.70. The main content area contains three tables for investment plans, each with a "Calculate your profit >>" link.

Home - FAQ - Rules - Sign up - Login - Support

Member login

Username:
Password:

[Password recovery](#)

Stats

[Investors Stats](#)
[Paid Out](#)
[Investors Top 10](#)
[Investors Last 10](#)

Info

Started Jan 1, 2005
Running days 5231
Total accounts 0
Active accounts 0
Total deposited \$ 0.00
Total withdraw \$ 0.00
Visitors online 1
Members online 0
Last update Apr 29, 2019

Dollar price per ounce

24 hour Gold
1278.20 -7.70

1 year 2.4% daily

Plan	Spent Amount (\$)	Daily Profit (%)
Plan 1	\$0.00 - \$100.00	2.20
Plan 2	\$101.00 - \$1000.00	2.30
Plan 3	\$1001.00 and more	2.40

[Calculate your profit >>](#)

100 days 3.4% daily

Plan	Spent Amount (\$)	Daily Profit (%)
Plan 1	\$10.00 - \$100.00	3.20
Plan 2	\$101.00 - \$1000.00	3.30
Plan 3	\$1001.00 - \$5000.00	3.40


[Calculate your profit >>](#)

30 days deposit. 150%

Plan	Spent Amount (\$)	Profit (%)
Plan 1	\$10.00 - \$100.00	10.00
Plan 2	\$101.00 - \$1000.00	20.00
Plan 3	\$1001.00 and more	50.00

[Calculate your profit >>](#)

13. Already within your script you can configure all the parameters according to your needs such as plans, payment methods among others.



The screenshot shows the admin settings page of the HYIP Manager Pro script. The browser address bar displays "http://your-domain.com/admin.php?a=settings". The page features a navigation menu with links: Home, Logout, Menu, Investment Packages, Expiring Deposits, Members, Accounts Blacklist, Deposits History, Fund Balance History, Withdrawal Requests, Earning History, Withdrawals History, Transactions History, Bonuses, Penalties, Deposit/Withdraw Fees, Other Processings, Pending Deposits, Exchange Rates, Exchange History, Send a Bonus, Send a Penalty, and Edit E-mail Templates. The main content area is titled "Main settings:" and includes fields for Site name, Site url, Redirect to HTTPS, and Start day. Below these are several payment methods with "open settings" links.

Home - Logout

Menu

[Investment Packages](#)
[Expiring Deposits](#)
[Members](#)
[Accounts Blacklist](#)
[Deposits History](#)
[Fund Balance History](#)
[Withdrawal Requests](#)
[Earning History](#)
[Withdrawals History](#)
[Transactions History](#)
[Bonuses](#)
[Penalties](#)
[Deposit/Withdraw Fees](#)
[Other Processings](#)
[Pending Deposits](#)
[Exchange Rates](#)
[Exchange History](#)
[Send a Bonus](#)
[Send a Penalty](#)
[Edit E-mail Templates](#)

Main settings:

Site name:
Site url:
Redirect to HTTPS: ☐ No ☐ Yes Do not change this option until you know how it works exactly. If you are using redirect from http:// to https:// you have set 'https://' into Site URL field above!
Start day:

Site name: your site title.
Site url: your site url, without tailing slash (http://yoursite.com for example).
Start day: shows days online. Select the date you have launched your site here.

PerfectMoney: [open settings](#)
Payza: [open settings](#)
Free-Kassa: [open settings](#)
OkPay: [open settings](#)
Payeer: [open settings](#)
AdvCash: [open settings](#)
PayPal: [open settings](#)
Webmoney: [open settings](#)
SolidTrustPay: [open settings](#)
LiqPay: [open settings](#)
NixMoney: [open settings](#)
CashAWM: [open settings](#)

If the script does not work?

Do not worry if for some reason the script is not displaying it on your website, verify that the content of the template has been unzipped at your root site and is not a folder:

THIS IS BAD:

[Home](#)

[Up One Level](#)

[Back](#)

[Forward](#)




[Reload](#)

☒ Select All














☐ Unselect All

[View Trash](#)


[Empty Trash](#)

Name	Size	Last Modified	Type	Permissions
 .well-known	4 KB	Today, 9:18 AM	httpd/unix-directory	0755
 HYIP-Manager-Pro-UPDATED	4 KB	Today, 10:21 AM	httpd/unix-directory	0755
 HYIP-Manager-Pro-UPDATED.zip	3.97 MB	Today, 10:20 AM	package/x-generic	0644

You must move the contents of the folder to the root of your website:

Home		↑ Up One Level	← Back	→ Forward	↻ Reload	☑ Select All	☐ Unselect All	🗑 View Trash	🗑 Empty Trash
Name	Size	Last Modified	Type	Permissions					
 .well-known	4 KB	Today, 9:18 AM	httpd/unix-directory	0755					
 fonts	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
 images	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
 inc	4 KB	Dec 7, 2018, 10:25 AM	httpd/unix-directory	0755					
 tmp	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
 tmp_c	4 KB	Dec 13, 2016, 11:14 PM	httpd/unix-directory	0755					
 admin.php	1.57 MB	Dec 3, 2018, 12:59 PM	application/x-httpd-php	0644					
 favicon.ico	1 byte	Dec 3, 2018, 11:14 PM	image/x-generic	0644					
 HYIP-Manager-Pro-UPDATED.zip	3.97 MB	Today, 10:20 AM	package/x-generic	0644					
 index.php	1.67 MB	Dec 3, 2018, 12:59 PM	application/x-httpd-php	0644					
 install.php	132.94 KB	Dec 3, 2018, 10:03 PM	application/x-httpd-php	0644					
 settings.php	5.05 KB	Dec 3, 2018, 11:14 PM	application/x-httpd-php	0644					
 style.css	2.23 KB	Dec 3, 2018, 11:14 PM	text/css	0644					

2. Review the connection data to your database which should have been previously created, if the data in your database is not correct, the script will not continue the installation process.

 **MySQL® Database Wizard**


MySQL Databases allow you to store lots of information in an easy to access manner. The databases themselves are not easily read by humans. MySQL databases are required by many web applications including some bulletin boards, content management systems, and others. To use a database, you'll need to create it. Only MySQL Users (different than mail or other users) that have privileges to access a database can read from or write to that database.


Step 1: Create A Database

New Database:

Note: 54 characters max.

[Next Step](#)

 **MySQL® Database Wizard**

 You have created a MariaDB/MySQL database named "rex_templearex".

Step 2: Create Database Users:

Username:

Note: 38 characters max.

Password:

Password (Again):


Strength ⓘ

Weak (34/100)

[Password Generator](#)

[Create User](#)

It is very important that you have granted all the privileges to your database.

 You have successfully created a MySQL user named "rex_templearex".


Step 3: Add user to the database.

User: **rex_templearex**
Database: **rex_templearex**

☒ ALL PRIVILEGES

<input checked="" type="checkbox"/> ALTER	<input checked="" type="checkbox"/> ALTER ROUTINE
<input checked="" type="checkbox"/> CREATE	<input checked="" type="checkbox"/> CREATE ROUTINE
<input checked="" type="checkbox"/> CREATE TEMPORARY TABLES	<input checked="" type="checkbox"/> CREATE VIEW
<input checked="" type="checkbox"/> DELETE	<input checked="" type="checkbox"/> DROP
<input checked="" type="checkbox"/> EVENT	<input checked="" type="checkbox"/> EXECUTE

3. Remember to verify that your PHP version is in 5.6 for your domain where the script is and it will be installed

 **PHP Selector | extensions**

Current PHP version: **5.6**

PHP Version 5.6 ▼ Set as current

[Switch To PHP Options](#)

4. Verify that the requirements that the script needs in the extensions of the PHP 5.6 version need to have activated the activated ioncube loader.

<input type="checkbox"/> apcu	<input type="checkbox"/> http	<input checked="" type="checkbox"/> mysql	<input checked="" type="checkbox"/> posix	<input type="checkbox"/> sysvshm
<input type="checkbox"/> apm	<input type="checkbox"/> igbinary	<input checked="" type="checkbox"/> mysqli	<input type="checkbox"/> propro	<input type="checkbox"/> tideways
<input type="checkbox"/> ares	<input type="checkbox"/> imagick	<input type="checkbox"/> mysqlnd	<input type="checkbox"/> pspell	<input checked="" type="checkbox"/> tidy
<input checked="" type="checkbox"/> bcmath	<input checked="" type="checkbox"/> imap	<input type="checkbox"/> ncurses	<input type="checkbox"/> quickhash	<input type="checkbox"/> timezonedb
<input type="checkbox"/> big_int	<input type="checkbox"/> inotify	<input type="checkbox"/> nd_mysql	<input type="checkbox"/> radius	<input type="checkbox"/> trader
<input type="checkbox"/> bitset	<input type="checkbox"/> interbase	<input type="checkbox"/> nd_mysqli	<input type="checkbox"/> raphf	<input type="checkbox"/> translit
<input type="checkbox"/> brotli	<input checked="" type="checkbox"/> intl	<input type="checkbox"/> nd_pdo_mysql	<input type="checkbox"/> rar	<input type="checkbox"/> uploadprogress
<input type="checkbox"/> bz2_filter	<input checked="" type="checkbox"/> ioncube_loader	<input type="checkbox"/> oauth	<input type="checkbox"/> recode	<input type="checkbox"/> uri_template
<input type="checkbox"/> dba	<input type="checkbox"/> ioncube_loader_4	<input type="checkbox"/> oci8	<input type="checkbox"/> redis	<input type="checkbox"/> uuid
<input type="checkbox"/> dbx	<input type="checkbox"/> jsmin	<input type="checkbox"/> odbc	<input type="checkbox"/> rsync	<input type="checkbox"/> wddx
<input checked="" type="checkbox"/> dom	<input checked="" type="checkbox"/> json	<input type="checkbox"/> opcache	<input type="checkbox"/> snmp	<input type="checkbox"/> weakref
<input type="checkbox"/> doublemetaphone	<input type="checkbox"/> ldap	<input type="checkbox"/> pdf	<input checked="" type="checkbox"/> soap	<input type="checkbox"/> xcache_3
<input type="checkbox"/> eio	<input type="checkbox"/> libevent	<input checked="" type="checkbox"/> pdo	<input checked="" type="checkbox"/> sockets	<input type="checkbox"/> xdebug
<input type="checkbox"/> enchant	<input type="checkbox"/> libsodium	<input type="checkbox"/> pdo_dblib	<input type="checkbox"/> solr	<input type="checkbox"/> xhprof
<input checked="" type="checkbox"/> fileinfo	<input type="checkbox"/> lzf	<input type="checkbox"/> pdo_firebird	<input type="checkbox"/> sourceguardian	<input checked="" type="checkbox"/> xmlreader
<input checked="" type="checkbox"/> gd	<input type="checkbox"/> mailparse	<input checked="" type="checkbox"/> pdo_mysql	<input type="checkbox"/> spl_types	<input checked="" type="checkbox"/> xmlrpc
<input type="checkbox"/> gender	<input checked="" type="checkbox"/> mbstring	<input type="checkbox"/> pdo_oci	<input type="checkbox"/> ssh2	<input checked="" type="checkbox"/> xmlwriter
<input type="checkbox"/> geolip	<input checked="" type="checkbox"/> mcrypt	<input type="checkbox"/> pdo_odbc	<input type="checkbox"/> stats	<input type="checkbox"/> xrange
<input type="checkbox"/> geos	<input checked="" type="checkbox"/> memcache	<input checked="" type="checkbox"/> pdo_pgsql	<input type="checkbox"/> stem	<input checked="" type="checkbox"/> xsl
<input type="checkbox"/> gmagick	<input type="checkbox"/> memcached	<input checked="" type="checkbox"/> pdo_sqlite	<input type="checkbox"/> stomp	<input type="checkbox"/> yaml